



NOC APPLICATION SUPPLEMENTAL FORM

Septage Processing and Handling

This project involves the following emission sources at the sewage processing and handling facility::

Source Type	Equipment Status
Unloading/Screening	<input type="checkbox"/> New <input type="checkbox"/> Modified <input type="checkbox"/> Unchanged <input type="checkbox"/> N/A
Stabilization	<input type="checkbox"/> New <input type="checkbox"/> Modified <input type="checkbox"/> Unchanged <input type="checkbox"/> N/A
Thickening/Dewatering	<input type="checkbox"/> New <input type="checkbox"/> Modified <input type="checkbox"/> Unchanged <input type="checkbox"/> N/A
Wastewater Treatment System	<input type="checkbox"/> New <input type="checkbox"/> Modified <input type="checkbox"/> Unchanged <input type="checkbox"/> N/A
Product Loadout	<input type="checkbox"/> New <input type="checkbox"/> Modified <input type="checkbox"/> Unchanged <input type="checkbox"/> N/A

"New" includes existing unpermitted equipment.

"Modified" includes physical or operational modifications of existing equipment.

General Facility Information

Maximum Throughput Rate: _____ gallons received per day

Estimated Annual Throughput: _____ gallons received per year

Normal Operation: _____ hours/day _____ days/week _____ weeks/yr

Maximum Operation: _____ hours/day _____ days/week _____ weeks/yr

Estimated Date to Begin Construction: _____ **Estimated Startup Date:** _____

Description of Wastes Treated:

Septage Unloading/Screening

Raw Septage Storage Tanks (attach a separate list if additional space is needed):

Tank No	Capacity (gal)

Description of the screening and receiving process at the facility, including measures for odor control:

Stabilization

Stabilization Tanks (attach a separate list if additional space is needed):

Tank No	Capacity (gal)

Lime silo onsite? Yes No **If yes, provide the maximum capacity (tons):** _____

Description of the stabilization process at the facility, including measures for odor control:

Thickening/Dewatering

Equipment Used for Dewatering:

- Batch mix (pug mill)
- Continuous mix (mix outside dryer drum)
- Parallel flow drum mix
- Counterflow drum mix

Description of the thickening and dewatering process at the facility, including measures for odor control:

Wastewater Treatment System

Measures Used to Control VOC/Odor Emissions from Truck Loading:

Product Loadout

Measures Used to Control VOC/Odor Emissions from Truck Loading:

Required Attachments

- Facility layout diagram showing location of dryer (and its stack), associated buildings, and property lines.
- Manufacturer specification sheets for affected emission sources.
- Analytical Data
- Applicable Agency specific control device form(s), located at www.pscleanair.org/180/Source-Specific-Applications-for-Permits.